

#### **Skill Level:**



Designed by Melissa Leapman



## Size:

Small (Medium, Large, Extra Large, Extra Extra Large)

#### **Finished Measurements:**


Chest: 43 ½ (46 ½, 49 ½, 52 ½, 56)

Total Length: 26 (26 % , 26 % ,

27, 27)

### **Materials:**

- Cascade Yarns® Cascade 220® 100% Peruvian Highland Wool; 100 g (3.5 oz) / 220 yds (200 m)
- 8 (8, 9, 10, 11) skeins of color #9574
- US 7 (4.5 mm) and US 8 (5 mm) knitting needles or size needed to obtain gauge
- Cable Needle





#### Cascade 220®

# Cabled Heather for Him | by Melissa Leapman



# Gauge

In Cable Patt with larger needles, 26 sts and 26 rows=4". To save time, take time to check gauge.

## Abbreviations:

BO = Bind off
CO = Cast on
K = Knit
P = Purl
RS = Right side
St(s) = Stitch(es)
WS = Wrong side
x = Times

Stitch Patterns
Rib Pattern (mult 5 + 1 sts)
See chart.

Main Pattern (mult 10 + 6 sts)
See chart.



Instructions include one selvedge st each side; these sts are not reflected in final measurements.

#### Back

With smaller needles, CO 136 (146, 156, 166, 176) sts.

Beg Rib Patt, and work even until piece measures approx 3" from beg.

Change to larger needles, beg Main Patt, and work even until piece measures approx

16" from beg, ending after WS row.





# Cascade 220<sup>®</sup> Cabled Heather for Him | by Melissa Leapman

### Shape Armholes

BO 10 (14, 19, 24, 29) sts at beg of next two rows—116 (118, 118, 118) sts rem.

Cont even until piece measures approx 24  $\frac{1}{2}$  (25, 25  $\frac{1}{2}$ , 26, 26)" from beg, ending after WS row.

# Shape Neck

Work across first 33 (34, 34, 34, 34) sts, join second ball of yarn and BO middle 50 sts, work across to end row.

Work both sides at once with separate balls of yarn and dec 1 st each neck edge once—32 (33, 33, 33, 33) sts rem each side.

Cont even until piece measures approx 25 (25  $\frac{1}{2}$ , 26, 26  $\frac{1}{2}$ , 26  $\frac{1}{2}$ )" from beg, ending after WS row.

## **Shape Shoulders**

BO 11 sts at beg of next four rows, then BO 10 (11, 11, 11, 11) sts at beg of next two rows.



Same as back until piece measures approx 23 (23  $\frac{1}{2}$ , 24, 24  $\frac{1}{2}$ , 24  $\frac{1}{2}$ )" from beg, ending after WS row.

## **Shape Neck**


Work across first 48 (49, 49, 49) sts, join second ball of yarn and BO middle 20 sts, work to end row.

Work both sides at once with separate balls of yarn and BO 6 sts each neck edge once, BO 4 sts each neck edge once, BO 2 sts each neck edge once, then dec 1 st each neck edge every row 4 times—32 (33, 33, 33) sts rem each side.

Cont even until piece measures same as back to shoulders.

# **Shape Shoulders**

Same as for back.





# Cabled Heather for Him | by Melissa Leapman

#### Sleeves

With smaller needles, CO 66 sts.

Beg Rib Patt, and work even until piece measures approx 2" from beg.

Change to larger needles, beg Main Patt, and inc 1 st each side every other row 0 (1, 9, 16, 26) times, every fourth row 20 (28, 23, 19, 13) times, then every sixth row 6 (0, 0, 0, 0) times, working new sts into patt as they accumulate—118 (124, 130, 136, 144) sts.

Cont even until sleeve measures approx 21  $\frac{1}{2}$  (21  $\frac{1}{2}$ , 22, 22  $\frac{1}{2}$ , 22  $\frac{1}{2}$ )" from beg, ending after WS row.

BO.

## **Finishing**

Sew right shoulder seam.

## Neckband

With smaller needles, pick up and knit 81 sts along neck opening.

Beg Rib Patt, and work even until neckband measures approx 2 ½" from beg. BO loosely.

Sew left shoulder seam, including side of neckband.

Fold neckband in half to WS and *loosely* whipstitch into place. Set in sleeves.

Thank you for downloading our free pattern. For more ideas and inspiration, visit us online at <a href="http://www.cascadeyarns.com">http://www.cascadeyarns.com</a> | blog <a href="http://cascadeyarns.blogspot.com/">http://cascadeyarns.blogspot.com/</a>

Find Cascade Yarns on social:













Cascade 220®

# Cabled Heather for Him | by Melissa Leapman

## **Cabled Heather Chart & Schematic**





KEY  $\square = K \text{ on RS; P on WS}$ 

= P on RS; K on WS

= Right Twist = Slip next st onto cn and hold in back; K1; K1 from cn **OR** K2tog, leaving them on LH needle; insert point of RH needle between these 2 sts and K the first one again

