


CASCADE YARNS
DISTRIBUTOR OF FINE YARN

C200

Cascade 128 Superwash Celtic Cable Pullover for Him



Designed by Melissa Leapman



Celtic Cable Pullover for Him

Designed by Melissa Leapman

Sizes

Small (Medium, Large, Extra-Large, Extra-Extra-Large). Instructions are for smallest size, with changes for other sizes noted in parentheses as necessary.

Finished Measurements

Chest: 42 (45, 49, 52, 55)"

Total length: 26"

Materials

Cascade's 128 Superwash, 9 (10, 11, 12, 12) hanks of #1919

One pair of sizes 8 and 10 knitting needles or size needed to obtain gauge

Two cable needles

Gauge

In Reverse Stockinette St Patt with larger needles, 15 sts and 22 rows = 4"; Celtic Cable Panel measures approx 6 ¾" wide. To save time, take time to check gauge.

Stitch Patterns

Rib Pattern (*mult 2 sts*)

Row 1 (RS): *K1, P1. Repeat from * across.

Patt Row: As Row 1.

Reverse Stockinette St Pattern

Row 1 (RS): Purl across.

Row 2: Knit across.

Repeat Rows 1 and 2 for patt.

Celtic Cable Panel (*over 30 sts, inc to 38 sts*)

See chart.

Back

With smaller needles, CO 86 (92, 98, 110) sts.

Beg Rib Patt, and work even until piece measures approx 3" from beg, ending after WS row.

Set Up Patts

Change to larger needles, work Row 1 of Reverse Stockinette St Patt over first 28 (31, 34, 37, 40) sts, place marker, work Row 1 of Celtic Cable Panel over middle 30 sts, place marker, work Row 1 of Reverse Stockinette St Patt across to end row.

Cont even in patts as established until piece measures approx 15 ½ (15, 15, 14 ½, 14)" from beg, ending after WS row.

Shape Armholes

BO 5 (6, 7, 9, 10) sts at beg of next two rows—76 (80, 84, 86, 90) sts rem.

Cont even until piece measures approx 24 ½" from beg, ending after WS row.

Shape Neck

Work patts as established across first 22 (24, 26, 27, 29) sts, join second ball of yarn and BO middle 32 sts, work across to end row.

Work both sides at once with separate balls of yarn and dec 1 st each neck edge once.

Work even until piece measures approx 25" from beg, ending after WS row.

Shape Shoulders

BO 7 (8, 8, 9, 9) 4 sts at beg of next four rows, then BO 7 (7, 9, 8, 10) sts at beg of next two rows.

Front

Same as back until piece measures approx 22" from beg, ending after Row 8 of Celtic Cable Panel.

Shape Neck

Next Row (RS): Work across first 32 (34, 36, 37, 39) sts, join second ball of yarn and BO middle 12 sts, work to end row.

Work both sides at once with separate balls of yarn and BO 4 sts each neck edge once, BO 2 sts each neck edge twice, then dec 1 st each neck edge every row three times—21 (23, 25, 26, 28) sts rem each side.

Cont even until piece measures same as back to shoulders.

Shape Shoulders

Same as for back.

Sleeves

With smaller needles, CO 37 sts.

Beg Rib Patt, and work even until piece measures approx 3" from beg.

Change to larger needles, beg Reverse Stockinette St Patt, and inc 1 st each side every sixth row 9 (4, 2, 0, 0) times, every fourth row 9 (16, 18, 19, 17) times, then every other row 0 (0, 0, 3, 7) times—73 (77, 77, 81, 85) sts.

Cont even until sleeve measures approx 21 (20 ½, 20 ½, 20 ½, 20 ½)" from beg, ending after WS row.

BO.

Finishing

Sew right shoulder seam.

Neckband

With smaller needles, pick up and knit 100 sts along neck opening.

Beg Rib Patt, and work even until neckband measures approx 1 ½" from beg.



BO *loosely* in patt.

Sew left shoulder seam, including side of neckband.

Fold neckband in half to WS and *loosely* whipstitch into place.

Set in sleeves.

Sew sleeve and side seams.

