

# 128 Superwash Celtic Pullover For Her







C201

Designed by
Melissa Leapman

# **Celtic Cable Pullover for Her**

Designed by Melissa Leapman

#### Sizes

Small (Medium, Large, 1X, 2X). Instructions are for smallest size, with changes for other sizes noted in parentheses as necessary.

#### **Finished Measurements**

Bust: 35 (38, 41, 44 ½, 48)"

Total length: 22 (22 ½, 23, 23 ½, 23 ½)"

#### **Materials**

Cascade's 128 Superwash, 7 (7, 8, 9, 10) hanks of #1980 One pair of sizes 8 and 10 knitting needles or size needed to obtain gauge Two cable needles

# Gauge

In Reverse Stockinette St Patt with larger needles, 15 sts and 22 rows = 4"; Celtic Cable Panel measures approx. 6

¾" wide. To save time, take time to check gauge.

#### Stitch Patterns

Rib Pattern (mult 2 sts)

Row 1 (RS): \*K1, P1. Repeat from \* across.

Patt Row: As Row 1.

#### Reverse Stockinette St Pattern

Row 1 (RS): Purl across. Row 2: Knit across.

Repeat Rows 1 and 2 for patt.

## **Celtic Cable Panel** (over 30 sts, inc to 38 sts)

See chart.

#### **Back**

With smaller needles, CO 72 (78, 84, 90, 96) sts.

Beg Rib Patt, and work even until piece measures approx. 3 ½" from beg, ending after WS row.

# **Set Up Patts**

Change to larger needles, work Row 1 of Reverse Stockinette St Patt over first 21 (24, 27, 30, 33) sts, place marker, work Row 1 of Celtic Cable Panel over middle 30 sts, place marker, work Row 1 of Reverse Stockinette St

Patt across to end row.

Cont even in patts as established until piece measures approx. 13 ½" from beg, ending after WS row.

# **Shape Armholes**

BO 3 (4, 5, 6, 7) sts at beg of next two rows, BO 2 (2, 3, 3, 3) sts at beg of next two rows, then dec 1 st each side

every row 1 (3, 1, 2, 4) times, then every other row 3 (3, 5, 6, 5) times—54 (54, 56, 56, 58) sts

rem. Cont even until piece measures approx 21 (21 ½, 22, 22 ½, 22 ½)" from beg, ending after

WS row.

# **Shape Shoulders**

BO 4 sts at beg of next four rows, then BO 3 (3, 4, 4, 5) sts at beg of next two rows.

BO rem 32 sts.

#### Front

Same as back until piece measures approx 18  $\frac{1}{2}$  (19, 19  $\frac{1}{2}$ , 20, 20)" from beg, ending after Row 10 of Celtic Cable Panel.

# **Shape Neck**

Work across first 21 (21, 22, 23, 23) sts, join second ball of yarn and BO middle 12 sts, work to end row.

Work both sides at once with separate balls of yarn and BO 4 sts each neck edge once, BO 3 sts each neck edge once, then dec 1 st each neck edge every row three times—11 (11, 12, 12, 13) sts rem each side.

Cont even until piece measures same as back to shoulders.

### **Shape Shoulders**

Same as for back.

### Sleeves

With smaller needles, CO 38 sts.

Beg Rib Patt, and work even until piece measures approx 2" from beg.

Change to larger needles, beg Reverse Stockinette St Patt, and inc 1 st each side every eighth row 0 (0, 0, 1, 11) times, every tenth row 0 (0, 0, 8, 0) times, every twelfth row 0 (0, 5, 0, 0) times, every fourteenth row 0 (4, 2, 0, 0) times, every sixteenth row 1 (2, 0, 0, 0) times, and every eighteenth row 4 (0, 0, 0, 0) times—48 (50, 52, 56, 60) sts.

Cont even until sleeve measures approx 18 ½" from beg, ending after WS row.

## Shape Cap

BO 3 (4,5, 6, 7) sts at beg of next two rows, then dec 1 st each side every fourth row 0 (1, 2, 3, 2) times, then every

other row 12 (11, 10, 10, 12) times—18 sts rem. BO

2 sts at beg of next four rows—10 sts rem. BO.

# **Finishing**

Sew right shoulder seam.

# Neckband

With smaller needles, pick up and knit 74 sts along neck opening.


Beg Rib Patt, and work even until neckband measures approx 4" from beg.


BO *loosely* in patt.

Sew left shoulder seam, including side of neckband.


Set in sleeves.

Sew sleeve and side seams.





# Celtic Cable Panel



KEY ☐ = K on RS; P on WS

= P on RS; K on WS

#### = No stitch

- M = M1 Knitwise = Insert LH needle under the horizontal strand between two sts from front to back and K it through back loop
- v = Central Double Increase = (Increases from 1 st to 3 sts) = K into back and then into front of indicated st and slip them off LH needle onto RH needle; insert point of LH needle behind the vertical strand that runs downward between the two sts just made and K into the front of it
- = Slip next st onto cn and hold in back; K2; P1 from cn
- = Slip 2 sts onto cn and hold in front; P1; K2 from cn
- = Slip 2 sts onto cn and hold in back; K2; K2 from cn
- = Slip 2 sts onto cn and hold in front; K2; K2 from cn
- = Slip 2 sts onto cn and hold in back; K2; P2 from cn
- = Slip 2 sts onto cn and hold in front; P2; K2 from cn
- = Slip 2 sts onto cn #1 and hold in back; slip next st onto cn #2 and hold in back; K2; P1 from cn #2; K2 from cn #1
- = Slip 2 sts onto cn #1 and hold in front; slip next st onto cn #2 and hold in back; K2; P1 from cn #2; K2 from cn #1